







Assembly Instructions


SIERRA BEADED DOME PENDANT



Component Checklist

REF	A	B	C	D	E
PART					
NAME	Ceiling Plug	Ceiling Screw	Ceiling Bracket	Pendant Frame	Chain + Ceiling Cap
QTY	2	2	1	1	1

Putting Me Together





NOTE: THIS ITEM MUST BE INSTALLED BY A LICENSED ELECTRICIAN

WARNING: Switch off the main electrical supply at the main fuse box / circuit breaker before installation.

- ① Carefully remove all the parts from the box.
Due to its weight, this pendant must be installed to a support beam in the ceiling.
 - Drill holes into the ceiling support beam according to the size of Ceiling Hook screws (B)
 - and in line with holes in Ceiling Bracket (C).
Insert Ceiling Plugs (A) into the holes in ceiling support beam.
- ② Fix Ceiling Bracket (C) to the ceiling support beam using Ceiling Hook screws (B).
- ③ ENSURE THE ELECTRICITY SUPPLY IS TURNED OFF.
- ④ Connect the 3 power wires from the pendant to the power wires in the ceiling.
 - Brown is the Live wire.
 - Blue is the Neutral wire.
 - Green/Yellow is the Earth wire.
- ⑤ Attached the pendant ceiling cap to the Ceiling Bracket (C).
- ⑥ Tighten the grub screw just below the ceiling cap.
At this point, the pendant should be hanging from your ceiling.
- ⑦ Insert an E27 globe into the lamp holder screwing in until it is firm (globe not included).
- ⑧ Turn the electricity supply back on and enjoy your beautiful pendant!

220-240V-50Hz E27 Max. 60W

Bulb not included