











Assembly Instructions

FLORENCE ALABASTER PENDANT - LINEAR ANTIQUE BRASS




Component Checklist

REF	A	B	C	D	E	F	G	H	I
PART									
NAME	Mounting Screws	Cross Bar	Junction Box	Brass Canopy	Chain	Hanging Plate Screw	Lamp Body	Alabaster Flake	Set Screw
QTY	4	1	1	1	1	2	1	20	40

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Fix cross bar (C) to the ceiling using mounting screws (A)
- ② Connect the power cord to the power supply through the junction box (B).
- ③ Attach the brass canopy (D) to crossbar (B) and secure with hanging plate screw (F). Attach chain (F) to brass canopy (E), as shown.


Putting Me Together



4

Insert the alabaster flakes (H) to lamp body (G) slot and lock it with screw sets (I).
Install bulb (not included) to lamp body (G), as shown.

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Florence Alabaster Pendant - Linear Antique Brass!
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 25W

Bulb not included