










Assembly Instructions

PALERMO ALABASTER PENDANT




Component Checklist

REF	A	B	C	D	E	F	G	H
PART								
NAME	Mounting Screws	Junction Box	Cross Bar	Brass Canopy	Chain	Lamp Body	Alabaster Flakes	Screws
QTY	2	1	1	1	1	1	6	12

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- 1 Carefully, remove all parts from the box. Fix cross bar (C) to the ceiling using mounting screws (A)
- 2 Connect the 3 power wires from the pendant to the power wires in the ceiling through the junction box (B).
Brown is the Live wire
Blue is the Neutral wire
Green/Yellow is the Earth wire
- 3 Attach the brass canopy (E) to hook (C) and secure with nut lock (D).
Attach chain (F) to brass canopy (E), as shown.


Putting Me Together



4

Insert the alabaster flake (G) to lamp body (F) slot and lock it with fixing screws (H).
Install bulb (not included) to lamp body (F), as shown.

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Palermo Alabaster Pendant!
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E27 Max. 60W

Bulb not included