












Assembly Instructions

ESTHER CHANDELIER




Component Checklist

REF	A	B	C	D	E	F	G	H	I	J
PART										
NAME	Expansion Tubes	Screws	Hook	Nut Lock	Brass Canopy	Chain	Lamp Holder	Pole with Canopy	Glass	Lamp Shade
QTY	4	4	1	2	1	1	1	1	8	8

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Drill holes in the ceiling support beam based on the size of expansion tube (A) and in line with holes in hook (C).
- ② Insert expansion tubes (A) in the holes in the ceiling support beam, then hook (C) with screws (B).
- ③ Connect the 3 power wires from the pendant to the power wires in the ceiling.
Brown is the Live wire
Blue is the Neutral wire
Green/Yellow is the Earth wire
- ④ Attach the brass canopy (E) to hook (C) and secure with nut lock (D).
Attach chain (F) to brass canopy (E), as shown.


Putting Me Together



5

- Fix chain (F) to pole with canopy (H).
- Fix pole with canopy (H) to lamp holder (G).
- Fix glass (I) to lamp holder (G).
- Install bulb (not included) to lamp body (G).
- Fix lamp shade (J) to lamp body (G), as shown.

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Esther Chandelier!
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 25W

Bulb not included