











Assembly Instructions

FLORENCE ALABASTER PENDANT - ROUND ANTIQUE BRASS




Component Checklist

REF	A	B	C	D	E	F	G	H	I
PART									
NAME	Mounting Screws	Junction Box	Cross Bar	Brass Canopy	Chain	Lamp Body	Magnet	Alabaster Flakes	Set Screw
QTY	3	1	1	1	1	1	3	12	24

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Fix cross bar (C) to the ceiling using mounting screws (A)
- ② Connect the power cord to the power supply through the junction box (B).
- ③ Attach the brass canopy (D) to crossbar (C). Attach chain (E) to cross bar (C), as shown.


Putting Me Together



4

Insert the alabaster flakes (H) to lamp body (F) slot and lock it with screw sets (I).
Attach magnet (G) to lamp body (F).
Install bulbs (not included) to lamp body (F), as shown.

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Florence Alabaster Pendant - Round Antique Brass!
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 25W

Bulb not included