










Assembly Instructions

AMORA PENDANT




Component Checklist

REF	A	B	C	D	E	F	G	H
PART							 $\varnothing 150$	
NAME	Expansion Tubes	Screws	Mounting Bracket	Nut Lock	Brass Canopy	Brass Rod	Glass Balls	Lamp Body
QTY	4	4	1	2	1	1	12	1

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Drill holes in the ceiling support beam based on the size of expansion tube (A) and in line with holes in mounting bracket (C).
- ② Insert expansion tubes (A) in the holes in the ceiling support beam, then ceiling support beam with screws (C).
- ③ Connect the 3 power wires from the pendant to the power wires in the ceiling.
Brown is the Live wire
Blue is the Neutral wire
Green/Yellow is the Earth wire
- ④ Attach the brass canopy (E) to mounting bracket (C) and secure with snut lock (D), as shown.


Putting Me Together



5

Install a light bulb (not included).
Fix brass rod (F) to brass canopy (E)
Fix lamp body (H) to brass rod (F).
Fix glass balls (G) to lamp body (H), as shown.

Putting Me Together



- ⑥ Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Amora Pendant!
- ⑦ Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 25W

Bulb not included