



Assembly Instructions









AURELIA WALL SCONCE



TOP VIEW




Component Checklist

REF	A	B	C	D	E	F	G	H
PART								
NAME	Mounting Bracket	Expanding Tubes	Screws	Screws	Base	Hex Wrench	Glass Pipe	Kimi Screw
QTY	1	2	2	2	1	1	2	1

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- 1 Carefully, remove all parts from the box. Drill holes in the ceiling support beam based on the size of expansion tube (B) and in line with holes in mounting bracket (A).
- 2 Insert expansion tubes (B) in the holes in the ceiling support beam, then ceiling support beam with screws (C).
- 3 Connect the 3 power wires from the pendant to the power wires in the ceiling.
Brown is the Live wire
Blue is the Neutral wire
Green/Yellow is the Earth wire
- 4 Attach the lamp body (E) to mounting bracket (A) and secure with screws (D).

Putting Me Together




5

Install a light bulb (not included) on the sockets.

Install the glass pipes (G) on the sockets from the top to the bottom

Caution: You can use the hex wrench (F) to adjust the kimi xcrew (H) in the arms vertically according to the Illustration if you find the arms not so vertical. Do not adjust arms vertically through the glass pipes (G).

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the wall sconce by turning the wall switch on and enjoy your Aurelia Wall Sconce !
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E27 Max. 60W

Bulb not included