



Assembly Instructions










ZURICH PENDANT



TOPVIEW




Component Checklist

REF	A	B	C	D	E	F	G	H	I
PART									
NAME	Mounting Bracket	Expanding Tubes	Screws	Screws	Canopy	Chain	Lamp Body	Faux Alabaster	Screw Rod
QTY	1	2	2	2	1	1	1	1	1

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Drill holes in the ceiling support beam based on the size of expansion tube (B) and in line with holes in mounting bracket (A).
- ② Insert expansion tubes (B) in the holes in the ceiling support beam, then ceiling support beam with screws (C).
- ③ Connect the 3 power wires from the pendant to the power wires in the ceiling.
Brown is the Live wire
Blue is the Neutral wire
Green/Yellow is the Earth wire
- ④ Attach the canopy (E) to mounting bracket (A) and secure with screws (D).
Attach lamp body (G) to chain (F) and into canopy (E), as shown.


Putting Me Together



5

Install a light bulb (not included).
Fix faux alabaster (H) to lamp body (G).
Fix screw rod (I) to lamp body (F) to secure faux alabaster (H).
Turn screw rod (I) clockwise to tighten, as shown.

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Zurich Pendant!
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 40W

Bulb not included