



Assembly Instructions







CHARLIZE WALL SCONCE - SINGLE



TOP VIEW




Component Checklist

REF	A	B	C	D	E	F
PART						
NAME	Expanding Tubes	Screws	Mounting Bracket	Ribbed Glass Shade	Lamp Body	Screws
QTY	4	4	1	1	1	2

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Drill holes on the wall based on the size of expansion tube (A) and in line with holes in mounting bracket (C).
- ② Insert expansion tubes (A) in the holes in the wall, then attach mounting bracket (C) using screws (B).
- ③ Connect the 3 power wires from the lamp to the power wires .
 Brown is the Live wire
 Blue is the Neutral wire
 Green/Yellow is the Earth wire
- ④ Attach the lamp body (E) to mounting bracket (C) and secure with screws (F).


Putting Me Together



5

Install a light bulb (not included) on the socket.
Attach the ribbed glass shade (D) on the Lamp body (E), as shown.

Putting Me Together



- 6 Installation is complete, turn on power at fuse or circuit breaker. Then turn on the wall sconce by turning the wall switch on and enjoy your Charlize Wall Sconce - Single!
- 7 Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 60W

Bulb not included