



Assembly Instructions








HEPBURN WALL SCONCE



TOP VIEW




Component Checklist

REF	A	B	C	D	E	F	G
PART							
NAME	Expanding Tubes	Screws	Mounting Bracket	Ribbed Glass Shade	Ribbed Glass Shade	Lamp Body	Screws
QTY	4	4	1	1	1	1	2

Putting Me Together


WARNING: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

NOTE: We recommend installation of this lightning fixture be done by a licensed electrician.



- ① Carefully, remove all parts from the box. Drill holes on the wall based on the size of expansion tube (A) and in line with holes in mounting bracket (C).
- ② Insert expansion tubes (A) in the holes in the wall, then attach mounting bracket (C) using screws (B).
- ③ Connect the 3 power wires from the lamp to the power wires.
Brown is the Live wire
Blue is the Neutral wire
Green/Yellow is the Earth wire
- ④ Attach the lamp body (F) to mounting bracket (C) and secure with screws (G).


Putting Me Together



5

Install a light bulb (not included) on the sockets.
Install the ribbed glass shade (D) and glass shade (E) to the lamp body (F), as shown.

Putting Me Together



- ⑥ Installation is complete, turn on power at fuse or circuit breaker. Then turn on the wall sconce by turning the wall switch on and enjoy your Hepburn Wall Sconce!
- ⑦ Clean with a dry, soft cloth only.
Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 60W

Bulb not included