



LIGHTING THAT OUTPERFORMS
SINCE 1998



KLIX 24V SLIMLINE MAGNETIC
LIGHTING SYSTEM

ALL-IN-ONE LIGHTING SOLUTION
Phase Cut / 1- 10V / DALI / SMART LIFE(TUYA)
3CCT : 3000K / 4000K / 6000K
CCT : 3000K (Non Dim)



MAGNETIC GRILLE LIGHT




Lamp Osram COB LED




36°
BEAM ANGLE






■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-DOT12BLK-WW]	24V	12W	OSRAM	Ra≥90	36°	3000K (Non Dim)
[UMAGSL-DOT12-BLK-DIM 3CCT]	24V	12W	OSRAM	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-DOT18BLK-WW]	24V	18W	OSRAM	Ra≥90	36°	3000K (Non Dim)
[UMAGSL-DOT18-BLK-DIM 3CCT]	24V	18W	OSRAM	Ra≥90	36°	3CCT (3000K/4000K/6000K)




Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	3CCT -
[UMAGSL-DOT24-BLK-DIM 3CCT]	24V	24W	OSRAM	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-DOT30BLK-WW]	24V	30W	OSRAM	Ra≥90	36°	3000K (Non Dim)



■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-DOT45BLK-WW]	24V	45W	OSRAM	Ra≥90	36°	3000K (Non Dim)




MAGNETIC WALL WASHER



Lamp Osram COB LED




POLARISED LIGHT
BEAM ANGLE



☒ BLACK
 ☐ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-WASHER18-BLK-WW]	24V	18W	OSRAM	Ra≥90	POLARISED	3000K (Non Dim)






MAGNETIC FLOOD LIGHT



Lamp Osram COB LED




150°
BEAM ANGLE





■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGS-BALANCE 10-BLK-WW]	24V	10W	OSRAM	Ra≥90	150°	3000K (Non Dim)
[UMAGSL-BALANCE 12-BLK-DIM 3CCT]	24V	12W	OSRAM	Ra≥90	150°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-BALANCE 20-BLK-WW]	24V	20W	OSRAM	Ra≥90	150°	3000K (Non Dim)




☒ BLACK
 ☐ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-BALANCE 30-BLK-WW]	24V	30W	OSRAM	Ra≥90	150°	3000K (Non Dim)



BLACK
 ☐ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	3CCT -
[UMAGSL-BALANCE12-L-BLK-3CCT]	24V	12W	OSRAM	Ra≥90	100°	3CCT (3000K/4000K/6000K)



MAGNETIC FOLDING LIGHT



Lamp Osram COB LED




150°
BEAM ANGLE






■ BLACK □ WHITE(Made to Order)



Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-SCOOP 6-BLK-WW]	24V	6W	OSRAM	Ra≥90	36°	3000K(Non Dim)
[UMAGSL-SCOOP 6-BLK-DIM 3CCT]	24V	6W	OSRAM	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)



Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-SCOOP 12-BLK-WW]	24V	12W	OSRAM	Ra≥90	36°	3000K(Non Dim)
[UMAGSL-SCOOP 12-BLK-DIM 3CCT]	24V	12W	OSRAM	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)



Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-FOLD 6-BLK-WW]	24V	6W	OSRAM	Ra≥90	150°	3000K (Non Dim)



■ BLACK □ WHITE(Made to Order)



Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-FOLD 12-BLK-WW]	24V	12W	OSRAM	Ra≥90	150°	3000K (Non Dim)




MAGNETIC SPOT LIGHT








■ BLACK □ WHITE(Made to Order)




Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-FOLD 9-BLK-WW]	24V	9W	OSRAM	Ra≥90	150°	3000K (Non Dim)



■ BLACK □ WHITE(Made to Order)




Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-HALO-DOT 9-BLK-WW]	24V	9W	OSRAM	Ra≥90	36°	3000K (Non Dim)



■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-SPOT 7-BLK-WW]	24V	7W	CREE	Ra≥90	36°	3000K(Non Dim)
[UMAGSL-SPOT 7-BLK-DIM 3CCT]	24V	7W	CREE	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-SPOT 12-BLK-WW]	24V	12W	CREE	Ra≥90	36°	3000K(Non Dim)
[UMAGSL-SPOT 12-BLK-DIM 3CCT]	24V	12W	CREE	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)



Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT 3CCT
[UMAGSL-SPOT 18-BLK-WW]	24V	18W	CREE	Ra≥90	36°	3000K(Non Dim)
[UMAGSL-SPOT 18-BLK-DIM 3CCT]	24V	18W	CREE	Ra≥90	36°	3CCT (3000K/4000K/6000K)




■ BLACK □ WHITE(Made to Order)




Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-SPOT 24-BLK-WW]	24V	24W	CREE	Ra≥90	36°	3000K(Non Dim)





☒ BLACK
 ☐ WHITE(Made to Order)

Model NO.	Input -	System Power	LED Power	CRI -	Beam Angle	CCT -
[UMAGSL-PENDANT12-BLK-WW]	24V	12W	CREE	Ra≥90	36°	3000K(Non Dim)





☒ **BLACK**
☐ **WHITE(Made to Order)**

Model
NO.

Track Length

[UMAGSL-TRK 1M /2M/3M - BLK] 1 Meter / 2 Meter / 3 Meter



☒ **BLACK**
☐ **WHITE(Made to Order)**


Model
NO.

Track Length

[UMAGSL-TRKRS- 2M/3M - BLK] 2 Meter / 3 Meter



UMAGSL-L-JOINER-BLK



UMAGSL-INCORNER-BLK



UMAGSL-LIVE-STRAJOINER-BLK



UMAGSL-LIVEEND-BLK



UMAGSL-STRAIGJOINER-BLK



UMAGSL-FLEXJOINER-BLK



UMAGSL-SUSPENSION-3M-BLK



UMAGSL-RS-L-JOINER-BLK