# Assembly Instructions

## ZARA PENDANT




**Component Checklist** 

| REF  | Α                  | В      | С    | D           | E               | F     | G            | Н              |
|------|--------------------|--------|------|-------------|-----------------|-------|--------------|----------------|
| PART |                    | {h     | S    | -           |                 |       |              |                |
| NAME | Expansion<br>Tubes | Screws | Hook | Nut<br>Lock | Brass<br>Canopy | Chain | Lamp<br>Body | Crystal<br>Rod |
| QTY  | 4                  | 4      | 1    | 2           | 1               | 1     | 1            | 210            |

#### **Putting Me Together**

**WARNING**: Switch off the main electrical supply from main fuse box/ circuit breaker before installation

**NOTE**: We recommend installation of this lightning fixture be done by a licensed electrician.




- Carefully, remove all parts from the box. Drill holes in the ceiling support beam based on the size of expansion tube (A) and in line with holes in hook (C).
- 2 Insert expansion tubes (A) in the holes in the ceiling support beam, then hook (C) with screws (B).
- Connect the 3 power wires from the pendant to the power wires in the ceiling.

  Brown is the Live wire

  Blue is the Neutral wire

  Green/Yellow is the Earth wire
- Attach the brass canopy (E) to hook (C) and secure with nut lock (D). Attach chain (F) to brass canopy (E), as shown.

### **Putting Me Together**



Fix chain (F) to lamp body (G).
Fix crystal rods (H) to lamp body (G).
Install bulb (not included) to lamp body (G), as shown.

## **Putting Me Together**



- Installation is complete, turn on power at fuse or circuit breaker. Then turn on the pendant by turning the wall switch on and enjoy your Zara Pendant!
- Clean with a dry, soft cloth only.
  Use no harsh abrasives or chemical agents.

220-240V-50Hz E14 Max. 40W

Bulb not included